

Incandescent appliance bulb oven 15W 300C Clear E14 Cap



Product Overview

Main voltage incandescent lamps operate direct from the mains, without the need for a transformer, and can be dimmed: making them quick and easy to install, simple to operate and lowering installation and user costs.

Features

- More eco-valued.
- · Excellent color rendering and consistency
- Reliable construction

Safety and Maintenance

- Switch off supply before installing or removing lamp.
- Allow to cool before handling.
- Do not use in application where voltage is unable
- This is a glass product, handle with care

Specifications – E14 Cap

SKU	S1020
Lamp	Cap E14
Nominal Power (W)	15W
Voltage	220-240Vac 50Hz
Nominal Luminous Flux (lm)	100
CCT (K)	2700K warm White
Nominal Lifetime (h)	1000
Dimmable	Yes
Switching Cycles	8000
Warm-up time to 60% (S)	instant
Length (mm)	49
Diameter (mm)	22
Mercury (mg)	0
Clean-up instructions	See website
Retrofit Yes	
Equivalent Wattage (W)	15
Rated Power (W)	15
Rated Luminous Flux (lm)	100
Rated Lifetime (h)	1000
Power Factor	1
Rated Peak Candelas (cd)	
Lumen Maintenance Factor at	
Nominal Lifetime	1000
CRI	>80
Start Time (s)	instant
Ambient Temperature Range (°C)	-20 to 40

Energy Label – E14 Cap

Energy Class	E	
Energy Consumption (kWh/1000h)	15.00 (15)*	


^{*} The kWh/1000h value published on the energy label is required to be rounded up to an integer according to

the EU implementing directive on Energy Labelling. The value to 2 decimal places is given for reference

Product Markings – E14 Cap

Vo	oltage	220-240Vac 50Hz
No	ominal Power (W)	15
Cı	urrent (mA)	
CE	Mark	Yes
W	EEE Mark	Yes
Ва	atch Code	Yes

Dimensions



Photometric Information

2700K

