Small & Medium Radiator Cover IM

Safety Instructions – please read and retain for future reference.

After unpacking, check the product for signs of transit damage - do not use if damage is found.

Keep away from fire or flammable materials.

Do not stand or put excessive weight on the product, this could cause damage.

Check that the product is stable before using it.

Do not lift or move the product when it is loaded.

Parts of the assembly will be easier with 2 people.

Only use on an even/level surface.

During assembly children should be kept away from the product due to possible risk of injury.

Do not allow children to play with or on the product.

Assemble on a soft level surface to avoid damaging the unit or the floor.

To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.

This product is to be used solely for domestic purposes.

The assembled radiator cover can be mounted to a wall for increased stability.

Screws and wall plugs provided are suitable for solid walls only. Alternative fixings will be required for other wall types.

Description of Parts

1 – Left Panel X 1			A – Cam X 16			
2 – Left Side Panel X 1			B – Cam Bolt X 16			
3 – Right Panel X 1			C – Dowel X 6			
4 – Right Side Panel X 1			D – Cover Slat Screw X 14			
5 – Central Rung X 2			E – Wall Mounting Screw X 2			
6 – Slats X 7			F – Top Panel Fixing Screw X 2			
7 - Top Panel X 1			G – Wall Plug X 2			
			H – Top Panel Fixing X 2			
① x1 ② x1 ③ x1	(4) x1	。 ⑤ x2	(6) x7	⑦ x1	Ax16 Bx16 Cx6 Dx14	Ex2 Fx2 Gx2 Hx2


Care and Maintenance

Wipe the radiator cover using a damp cloth or soft bristle brush with a mild cleaning solution. Do not use bleach or abrasive cleaners on this product.

Never soak or immerse the product in water. From time to time, check that there are no loose screws on this unit.


Assembling the Radiator Cover

STEP 1: Using a Pozi screwdriver (not provided) insert two cam bolts (B) and two pieces of wood dowel (C) into the side of the left panel (1) (as indicated in image 1 below). Repeat the same process for the right panel (3).



STEP 2: Screw three of the cam bolts (B) into the openings on the front of the left panel (as indicated in image 1 above).


STEP 3: Align the openings on the left side panel (2) with the three cam bolts and slide the panel into place. Fix the left side panel to the left panel by inserting and securing three of the cams (A) (as per image 2 below).




STEP 4: Repeat the process described in step 2 & 3 for the right panel (3) and right-side panel (4).

STEP 5: Connect the assembled side panels together by sliding the two central rungs onto the left panel and securing them in place using two of the cams and the screwdriver.


STEP 6: Repeat the process indicated in Step 5 to secure the right panel to the central rungs (as indicated in image 3 below).




STEP 7: Align the holes on one of the slats (6) with the indentation on the inside of the radiator cover and secure into place using two of the cover slat screws (D). Repeat this process for the remaining 6 slats (as per image 4 below).



STEP 8: Invert the top panel (7) and screw six cam bolts and two wood dowels into the indentation holes, as per formation indicated in image 5 below.



STEP 9: Revert the top panel and slide it on to the top of the radiator cover, ensuring that the cam bolts on the top shelf align with the indents on the top of the radiator cover. Secure the cam bolts in place using the screwdriver and six remaining cams (as per image 6 below).



STEP 10: If intending to mount the radiator cover to the wall, secure the two top panel fixings (H) to the end of the underside of the top rung using the two top panel fixing screws (F).

Fixing the Radiator Cover to the Wall


WARNING: Make sure that there are no electrical, plumbing or gas suppliers situated beneath the surface of the wall. Testers are available from all good DIY stores.

STEP 1: Using a pencil, mark the screw hole locations on the desired surface. Make sure that the holes are marked level, accurately and, in the positions, required for the radiator cover.

STEP 2: Using a suitable drill bit, drill pilot holes at each marked location. Consult a qualified professional if required.

STEP 3: Insert the wall plugs into the pilot holes so that they sit flush with the wall surface.

STEP 4: Screw the wall mounting screws (E) through the loops on the wall fixing and into the wall plugs (as per image 7 below).



Disposal

This product should not be discarded within household waste. Take to your local recycling station for disposal.

Specifications

Model Number: HF000203, HF000204, HF000206, HF000207, HF000212, HF000213, HF000209, HF000210, HF000166, HF000167

Manufactured by: Online Home Shop LTD, Priestley Road, Manchester, M28 2LX, UK

For Online Support: $\underline{support@onlinehomeshop.com}$

Dimensions: Small: 78 x 19 x 81.5H cm Medium:101.5 x 19 x 81.5H cm

Made in China

Guarantee Information

This product is under manufacturer guarantee for a period of 6 months from the date of purchase against mechanical defects.

This guarantee is only valid if the product is used solely for domestic purposes in accordance with the instructions and warnings provided. Under this guarantee we undertake to repair or replace free of charge any product/parts found to be defective. Reasonable proof of purchase must be provided. Nothing in this guarantee or within the instructions relating to this product excludes, restricts or otherwise affects your statutory rights.